## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-33. (Canceled)

34. (Currently amended) A vehicle windshield comprising:

first and second glass substrates laminated to one another via a polymer inclusive interlayer;

a low-E coating provided on the first substrate, the low-E coating including from the first glass substrate outwardly at least the following layers: a layer comprising a metal oxide, a contact layer, a layer comprising silver, another contact layer, a layer comprising a metal oxide, another contact layer, another layer comprising silver, another contact layer, and a layer comprising silicon nitride;

wherein the first glass substrate is an ion beam milled glass substrate where the ion beam milling eliminates fish-eye blemishes so that the windshield is free of fish-eye blemishes, whereby at least an interior surface of the first glass substrate located under [[a]] said low-E coating is ion beam milled; and

wherein the windshield has a visible transmittance of at least 70% and a haze value of less than or equal to 0.3.

35. (Previously presented) The vehicle windshield of claim 34, wherein each of the first and second glass substrates are heat bent.

36-51. (Canceled)

52. (Currently amended) The vehicle windshield of claim 34, wherein the windshield has the following characteristics: a visible transmittance (Ill. A, 2 deg.) of >= 70%.

haze: <= 0.4 %.

53. (Canceled)

54. (New) The windshield of claim 34, wherein the windshield has a haze value of less than 0.2.